					lı l		
			ıts		d SF		
			Occupants	ors	Proposed	SF	
		SKA	ກວຸ	Visitors	odo	Total SF	
	Space	S	ŏ	Κİ	Pr	<u> </u>	Notes:
PU	BLIC						
	Entry Vestible - Lobby	SKA-1S	0	0	234		
	Public Toilet	SKA-2S	1	0	121		
	O	0144 00		40	4440		Use as Cooling/Warming
-	Community Room	SKA-3S	0	40	1116		Center
	Community Storage	SKA-4S	0	0	80		
	Kitchenette SUBTOTAL	SKA-5S	0	U	130	1 601	
-						1,681 252	
	Gross area adjustment 15% Circulation adjustment at 25%					483	
	TOTAL					2,416	
-	IOTAL					2,410	
СТ	L AFF SUPPORT						
31/	Fitness	SKA-8S			500		
	SUBTOTAL	3NA-00			300	500	
-	Gross area adjustment 15%					75	
	Circulation adjustment at 25%					144	
-	TOTAL					719	
	TOTAL					713	
ΔD	MINISTRATION - FIRE						
	Fire Chief	SKA-1F	1	4	208		
	Deputy Fire Chief	SKA-2F	1	2	168		
	Command Staff - Lieutenant Current;		·				
	Captain or Battalion Chief in Future	SKA-3F	4	2	144		
	Administrative Assistant - Future	SKA-4F	1	1	120		
	Lieutenant - Fire Prevention	SKA-5F	2	2	168		
	Lieutenants (Future)	SKA-6F	1	1	120		
	Conference Room	SKA-7F	10	0	192		
	Office Supplies / Copy	SKA-8F	0	0	100		
	Archive Document Storage	SKA-9F	0	0			
	Coat Closet	SKA-10F	0	0	13		
	Staff Toilet	SKA-11F	0	0	121		
	SUBTOTAL					1,534	
	Gross area adjustment 15%					230	
	Circulation adjustment at 25%					441	
	TOTAL					2,205	
ST	AFF SUPPORT - FIRE						
	Dorm Rooms	SKA-12F	8	0	552		4 double rooms
	Command Staff Dorm Room	SKA-13F	3	0	414		3 single room
	Toilet / Shower Room	SKA-14F	1	0	384		
	Locker Room	SKA-15F	0	0	416		46 lockers
	Kitchen	SKA-16F	8	0	240		
	Day Room	SKA-17F	0	5	360		
1	Report Writing / On-Line Training	SKA-18F	4	0	100		

Space	SKA	Occupants	Visitors	Proposed SF	Total SF	Notes:
Janitor's Closet	SKA-19F	0	0	30		
SUBTOTAL					2,496	
Gross area adjustment 15%					374	
Circulation adjustment at 25%					718	
TOTAL					3,588	
OPERATIONS - FIRE						
Apparatus Bays	SKA-20F	0	0	9,024		
Hose Storage + Testing	SKA-21F	0	0	34		
						46 gear lockers; call
Gear Storage	SKA-22F	0	0	480		bags, hanging gear
Laundry	SKA-23F	0	0	156		
Workshop	SKA-24F	0	0	100		
Medical Cleaning / Decontamination	SKA-25F	0	0	120		
SCBA Fill Room	SKA-26F	0	0	108		
Air Compressor Room	SKA-27F	0	0	64		
Oxygen Storage	SKA-28F	0	0	40		
Haz Mat Supply Storage	SKA-29F	0	0	100		
Medical Supply Storage	SKA-30F	0	0	100		
Bulk Storage	SKA-31F	0	0	266		
Triage	SKA-32F	0	0	120		
Training Area	SKA-33F	0	0	240		
SUBTOTAL					10,952	
Gross area adjustment 15% (*)					1,192	* 10% for Apparatus Bays
Circulation adjustment at 10% (**)						** 0% for Apparatus Bays
TOTAL					12,365	
BUILDING SUPPORT						
Server / E911 Room	SKA-9S			192		
Mechanical Room	SKA-10S			400		
Main Electrical Room	SKA-11S			180		
Plumbing / Fire Protection Room	SKA-12S			167		
Emergency Electrical Room	SKA-13S			80		
Electrical Closet (1 per floor)	SKA-14S			96		
Janitor's Closet	SKA-15S			40		
Stairs	SKA-16S			880		
Elevator and Machine Room	SKA-17S			249		
SUBTOTAL					2,284	
Gross area adjustment 15%					343	
Circulation adjustment at 25%					657	
TOTAL					3,283	
GRAND TOTAL - FIRE					24,577	

Space	SKA	Occupants	Visitors	Proposed SF	Total SF	Notes:
Parking						
						# of cars at shift change
Current Staff (Firefighters)				8		_
Additional Future Staff (Firefigthers +						# of cars at shift change
Civilian)				12		Ů
Administration staff				4		
Visitors				4		
Call Firefighters (Typical Call)				12		
Total Parking Fire Dept				40		

**ROOM OR SPACE** 

Description: Entry Vestible - Lobby

Group: Public

**Drawing Reference:** SKA-1S

Quantitative Criteria: 1 234

Square feet

Functional Description: 1 Primary window to FD

2 Wayfinding, notices and pamphlet information

Qualitative Description: 1 Welcoming, open area, control point

2 Accessible, but not direct acces to work areas

Locational Criteria: 1 Wayfinding obvious to visitor

2 Elevator and stair not directly accessible tolobby - requires escort

3 Adjacent to Community Room, public toilets, FD Triage

**Technical Criteria:** 

Walls: GWB

Floors: Porcelain Tile; walk off carpet

Ceiling: Acoustic Tile & GWB

Windows: Desirable

Security: Standard Entry Lock
Equipment: Computer kiosk

Other:

Furnishings: 1 Seating

2 Display for pamphlets and brochures

3 Surface for filling out forms with accessible area

4 Bulletin Board5 Service Windows

6 (1) Large Medication disposal drop-off box - 3' in width

7 Kiosk

**Notes:** Area for toy and coat drive donation drop-off.

Computer kiosk for filling out forms etc.

Vestibule to be able to be locked down as panic space

**ROOM OR SPACE** 

**Description:** Public Toilet

Group: Public

Drawing Reference: SKA-2S

**Quantitative Criteria:** 1 121

Square feet (per set)

Functional Description: 1 Men's and Women's Toilet

2 Fully accessible

**Qualitative Description:** 1 Toilet area

Locational Criteria: 1 Adjacent to Lobby

**Technical Criteria:** 

Walls: GWB/Ceramic Tile Floors: Ceramic Tile

Ceiling: GWB or acoustic tile

Windows: None

Security: Standard Toilet Room Lock

Equipment: None

Other:

Furnishings: 1 Mirror

2 Soap dispensor

Towel dispensor/trash receptacleFeminine dispensor and receptacle

5 Toilet paper dispenser

6 Coat hook7 Shelving

8 Baby changing station

**ROOM OR SPACE** 

**Description:** Community Room

Group: Public

**Drawing Reference:** SKA-3S

**Quantitative Criteria:** 1 1116

Square feet

**Functional Description:** 1 Used for training - 48 at tables and chairs

2 Used for large staff meetings; available for community functions/meetings

3 Wrming/cooling designated location

Qualitative Description: 1 Comfortable environment for lecturing or training

2 Multi-media

3 Good acoustics

4 Multiple lighting levels

**Locational Criteria:** 1 Access to both Fire and Police Departments

2 Access to main lobby

3 Storage for chairs and tables adjacent

4 Storage for AV equipment nearby

**Technical Criteria:** 

Walls: GWB Floors: Carpet

Ceiling: Acoustical Tile Windows: Preferred

Security: Standard Office Lock

**Equipment:** Smartboard or wall mounted monitor with computer hook up

Other:

**Furnishings:** 1 Folding training tables

2 Stackable seating for 48 people

3 Lecturn

4 Whiteboard / Tackboard

5 Blackout shades

**Notes:** Can be used by community

Can be secured from the public during emergency event

Can be used 24/7 as a warming or cooling center

**ROOM OR SPACE** 

**Description:** Community Storage

Group: Public

**Drawing Reference:** SKA-4S

**Quantitative Criteria:** 1 80

Square feet

Functional Description: 1 Storage for chairs and tables

2

**Qualitative Description:** 1 Closet for storage

Locational Criteria: 1 Adjacent to Community Room

**Technical Criteria:** 

Walls: GWB Floors: Carpet

Ceiling: Acoustical Tile

Windows: None

Security: Standard Storage Lock

**Equipment:** 

Other:

Furnishings: 1

**ROOM OR SPACE** 

Description: Kitchenette

Group: Public

Drawing Reference: SKA-5S

Quantitative Criteria: 1 130

Square feet

Functional Description: 1 Used at breaks

**Qualitative Description:** 1 Off corridor

Locational Criteria: 1 Adjacent to Community Room

**Technical Criteria:** 

Walls: GWB
Floors: Resilient
Ceiling: Acoustical Tile

Windows: None Plumbing: Sink

HVAC: Standard kitchen environment
Ventilation: Standard kitchen environment
Lighting: Standard kitchen environment
Power: Standard as required for equipment
Tel Data: Standard as required for equipment

Security: Standard Lock

**Equipment:** Undercounter refrigerator, microwave, power for (2) vending machines

Other: Base and wall cabinets

Furnishings: 1

Notes: No cooking surfaces

Layout to allow access to Community

**ROOM OR SPACE** 

**Description:** Fitness

**Group:** Staff Support

**Drawing Reference:** SKA-8S

**Quantitative Criteria:** 1 500

Square feet

Functional Description: 1 Exercise room

**Qualitative Description:** 1 Good ventilation

2 Easy to maintain/clean

3 Comfortable relaxed environment

Locational Criteria: 1 Centrally located

2 Easy access for fire departments

**Technical Criteria:** 

Walls: GWB; 8' high mirrors on wall Rubber athletic flooring

Ceiling: Acoustic Tile

Windows: Preferred not required Security: Standard Office Lock

**Equipment:** CATV

Other:

Furnishings: 1 Treadmill

2 Stairmaster

3 Exercise Bicycle

4 Free Weights

5 Universal

Notes: Not contractually required

Include floor space for stretching

**ROOM OR SPACE** 

**Description:** Fire Chief

**Group:** Administration - Fire

**Drawing Reference:** SKA-1F

**Quantitative Criteria:** 1 208

Square feet

Functional Description: 1 Deskwork

2 Small meetings - up to 4 people

**Qualitative Description:** 1 Private Office

**Locational Criteria:** 1 Adjacent to Administrative Assistant

2 Near other command staff offices

3 Not off the lobby

**Technical Criteria:** 

Walls: GWB, Office Standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

**Security:** Standard Office Lock **Equipment:** Computer, CATV

Other:

Furnishings: 1 Desk with return

2 Seating - 1 office with 4 guest chairs

3 Bookshelves

4 Lateral file cabinets

5 36" round meeting table

**Notes:** Small closet within room

Acoustically private

**ROOM OR SPACE** 

Description: Deputy Fire Chief
Group: Administration - Fire

**Drawing Reference:** SKA-2F

**Quantitative Criteria:** 1 168

Square feet

Functional Description: 1 Deskwork

**Qualitative Description:** 1 Private Office

Locational Criteria: 1 Near Fire Chief

2 Near Administrative Assistant

3 Near command staff

**Technical Criteria:** 

Walls: GWB, Office Standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

**Security:** Standard Office Lock **Equipment:** Computer, CATV

Other:

Furnishings: 1 Desk with return

2 Seating - 1 office with 2 guest chairs

3 Bookshelves4 Lateral file cabinets

5 36" round meeting table

Notes: Small closet within room

Acoustically private

**ROOM OR SPACE** 

Description: Command Staff - Lieutenant Current; Captain or Battalion Chief in

**Future** 

**Group:** Administration - Fire

**Drawing Reference:** SKA-3F

Quantitative Criteria: 1 144

Square feet

Functional Description: 1 Deskwork

**Qualitative Description:** 1 Private Office

2 Shared Office for 4

Locational Criteria: 1 Near Fire Chief

2 Near Deputy Chief

3 Near Administrative Assistant

**Technical Criteria:** 

Walls: GWB, Office Standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

**Security:** Standard Office Lock **Equipment:** Computer, CATV

Other:

Furnishings: 1 Desk with return

Seating - 1 office with 2 guest chairsAdjustable shelving on standards

4 File cabinets

5 Whiteboard / Tackboard

**Notes:** Acoustically private

**ROOM OR SPACE** 

**Description:** Administrative Assistant - Future

**Group:** Administration - Fire

**Drawing Reference:** SKA-4F

**Quantitative Criteria:** 1 120

Square feet

Functional Description: 1 Deskwork

2 Gateway to the Chief

Qualitative Description: 1 Private Office

Locational Criteria: 1 Adjacent to Fire Chief

2 Possibly pass through Admin Assistant to access Fire Chief's office

**Technical Criteria:** 

Walls: GWB, Office Standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

Security: Standard Office Lock

**Equipment:** Computer

Other:

Furnishings: 1 Desk with return

2 Seating - 1 office

3 Adjustable shelving on standards

4 File cabinets5 Tackboard

**ROOM OR SPACE** 

**Description:** Lieutenant - Fire Prevention

**Group:** Administration - Fire

**Drawing Reference:** SKA-5F

**Quantitative Criteria:** 1 168

Square feet

Functional Description: 1 Deskwork

**Qualitative Description:** 1 Private Office

2 2 full working stations

Locational Criteria: 1 Near Lobby

**Technical Criteria:** 

Walls: GWB, office standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

Security: Standard Office Lock

**Equipment:** Computer, CATV, CCTV, speaker

Other:

Furnishings: 1 (2) Desks with return

Seating - 2 office with 2 guest chairs
Adjustable shelving on standards
3 x5 table for reviewing drawings

5 Whiteboard / Tackboard

6 Files

**ROOM OR SPACE** 

Description: Lieutenants (Future)
Group: Administration - Fire

**Drawing Reference:** SKA-6F

**Quantitative Criteria:** 1 120

Square feet

Functional Description: 1 Deskwork

**Qualitative Description:** 1 Private Office

2 Shared Office for 4

Locational Criteria: 1 Close to Day Room and Apparatus Bays

**Technical Criteria:** 

Walls: GWB, office standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

Security: Standard Office Lock

**Equipment:** Computer, CATV, CCTV, speaker, radio chargers

Other:

**Furnishings:** 1 1 Desk with return

Seating - 1 office with 1 guest chairAdjustable shelving on standards

4 File cabinets

5 Whiteboard / Tackboard

**Notes:** Include shelving for radio chargers, spare batteries, etc.

**ROOM OR SPACE** 

Description: Conference Room
Group: Administration - Fire

**Drawing Reference:** SKA-7F

**Quantitative Criteria:** 1 192

Square feet

Functional Description: 1 Meeting Room for 8-10

**Qualitative Description:** 1 Private meeting space

Locational Criteria: 1 Central to administrative offices

**Technical Criteria:** 

Walls: GWB, office standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Preferred

Security: Standard Storage Lock
Equipment: Monitor with coputer hook-up

Other:

Furnishings: 1 Conference table

Seating for 10CredenzaWhiteboard

Notes: FD and PD can share this room if it is a shared facility

Acoustically private

**ROOM OR SPACE** 

Description: Office Supplies / Copy

**Group:** Administration - Fire

**Drawing Reference:** SKA-8F

**Quantitative Criteria:** 1 100

Square feet

Functional Description: 1 Storage of office supplies

2 Copier

**Qualitative Description:** 1 Storage room

Locational Criteria: 1 Central to Administrative Offices

**Technical Criteria:** 

Walls: GWB, Office Standard

Floors: Carpet
Ceiling: Acoustic Tile

Windows: None Security: None

**Equipment:** Copier, fax machine, mailing equipment

Other:

Furnishings: 1 Worksurface

2 Adjustable shelving on standards

**ROOM OR SPACE** 

**Description:** Archive Document Storage

**Group:** Administration - Police

**Drawing Reference:** SKA-9F

**Quantitative Criteria:** 1 180

Square feet

Functional Description: 1 Secure storage for records

Qualitative Description: 1 Dry, well lit and secure

Locational Criteria: 1 Near administrative staff

**Technical Criteria:** 

Walls: GWB, Office Standard

Floors: Resilient
Ceiling: Acoustic Tile

Windows: None

Security: Standard Storage Lock

**Equipment:** Computer

Other:

Furnishings: 1 High density file storage

2 Countertop or table

3 Seating - 1 office chair

**Notes:** Some records must be kept 10-25 years or for life.

**ROOM OR SPACE** 

**Description:** Coat Closet

**Group:** Administration - Fire

**Drawing Reference:** SKA-10F

**Quantitative Criteria:** 1 13

Square feet - (1) @ 2.5' x 5'

Functional Description: 1 Personal Belongings

**Qualitative Description:** 1 Closet for storage

Locational Criteria: 1 Central to administration staff

**Technical Criteria:** 

Walls: GWB

Floors: Carpet or resilient
Ceiling: Acoustic Tile

Windows: None

Security: Standard Closet Lock

**Equipment:** None

Other:

Furnishings: 1 Coat rod with shelf above

**ROOM OR SPACE** 

Description: Staff Toilet

**Group:** Administration - Fire

**Drawing Reference:** SKA-11F

**Quantitative Criteria:** 1 121

Square feet (per set)

Functional Description: 1 Men's and Women's Toilet

2 Fully accessible

**Qualitative Description:** 1 Toilet area

Locational Criteria: 1 General office area

**Technical Criteria:** 

Walls: GWB/Ceramic Tile Floors: Ceramic Tile

Ceiling: GWB or acoustic tile

Windows: None

Security: Standard Toilet Room Lock

Equipment: None

Other:

Furnishings: 1 Mirror

2 Soap dispensor

Towel dispensor/trash receptacleFeminine dispensor and receptacle

5 Toilet paper dispenser

6 Coat hook7 Shelving

**ROOM OR SPACE** 

Description: Dorm Rooms
Group: Staff Support - Fire

**Drawing Reference:** SKA-12F

Quantitative Criteria: 1 552

Square feet

2 (4) rooms sized for 2 twin beds, 2 nightstands, 4 dbl stacking wardrobes for

linens etc.

Functional Description: 1 (4) dbl occupancy sleeping rooms

**Qualitative Description:** 1 Good ventilation

2 Quiet

Locational Criteria: 1 Adjacent to locker rooms

**Technical Criteria:** 

Walls: GWB
Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

Security: Standard Office Lock

**Equipment:** Telephone; CATV; speaker; station alert system for light control

Other:

Furnishings: 1 2 Twin beds

2 2 Nightstands

3 (4) dbl height storage wardrobes for linens / personnel items

4 Blackout shades5 30"x24" wardrobes

Notes: 138 sf per dbl room

**ROOM OR SPACE** 

**Description:** Command Staff Dorm Room

**Group:** Staff Support - Fire

**Drawing Reference:** SKA-13F

Quantitative Criteria: 1 414

Square feet

2 (3) Sized for one twin bed, 1 nightstand, 1 desk, 2 wardrobes

Functional Description: 1 Single occupancy sleeping rooms

2 Room for desk work

**Qualitative Description:** 1 Good ventilation

2 Quiet

Locational Criteria: 1 Adjacent to locker rooms

**Technical Criteria:** 

Walls: GWB
Floors: Carpet
Ceiling: Acoustic Tile
Windows: Required

Security: Standard Office Lock

**Equipment:** Telephone; CATV; speaker; station alert system for light control

Other:

Furnishings: 1 Twin bed

2 Nightstand

3 Desk

4 Office chair

5 Storage for linens / personnel items in wardrobe/locker

6 (2) dbl height storage wardrobes for linens / personnel items

7 Blackout shades

**Notes:** 138 per single room

Future use by (1) Lieutenant, (1) Captain, (1) Battalion Chief

**ROOM OR SPACE** 

Description: Toilet / Shower Room

**Group:** Staff Support - Fire

**Drawing Reference:** SKA-14F

Quantitative Criteria: 1 384

Square feet

Functional Description: 1 Toilet / Lavatory

2 Shower

Qualitative Description: 1 (4) Single occupant space

2 Secure

3 Good ventilation

4 Durable Materials

Locational Criteria: 1 Adjacent to staff quarters

**Technical Criteria:** 

Walls: GWB with epoxy paint; Ceramic Tile wainscot

Floors: Ceramic Tile or Resinous flooring

Ceiling: Acoustic Tile and GWB

Windows: None

Security: Standard Toilet Room Lock
Equipment: Speakers for radio monitoring

Other:

Furnishings: 1 Mirror

2 Soap dispenser

3 Towel dispenser/trash receptacle

4 Toilet paper dispenser

5 Showers with bench seats

6 Clothing hooks

7

Notes: Final count pending

**ROOM OR SPACE** 

Description: Locker Room
Group: Staff Support - Fire

**Drawing Reference:** SKA-15F

**Quantitative Criteria:** 1 416

Square feet

Functional Description: 1 Lockers for Firefighters and Command Staff

**Qualitative Description:** 1 Good ventilation

2 Durable Materials

Locational Criteria: 1 Adjacent to individual toilet rooms

**Technical Criteria:** 

Walls: GWB

Floors: Resilient or Resinous flooring
Ceiling: Acoustic Tile and GWB

Windows: None

Security: None required

Equipment: Speakers for radio monitoring

Other:

Furnishings: 1 Lockers - (46) 24"x24"

Notes: Need to confirm counts

**ROOM OR SPACE** 

Description: Kitchen

Group: Staff Support - Fire

**Drawing Reference:** SKA-16F

Quantitative Criteria: 1 240

Square feet

2 Current needs up to 5 people at a time on shift; Future includes up to 7 ff

plus 4 command; Plus chief, deputy, admin and fire prev lt

Functional Description: 1 Food storage and preparation

2 Informal dining

Qualitative Description: 1 Commercial kitchen equipment

2 Accessible and open3 Easy to maintain/clean

4 Good ventilation

Locational Criteria: 1 Adjacent to day room

2 Easy access to apparatus bays

**Technical Criteria:** 

Walls: GWB

Floors: Resilient slip resistant
Ceiling: Acoustic Tile - scrubbable

Windows: Preferred Security: NA

**Equipment:** Refrigerators (2), commercial gas cooktop/oven with hood and auto remote

shut-off on apparatus floor, microwave, toaster oven, coffee maker,

dishwasher, garbage disposal, 2 bowl sink

Other: Grill outside kitchen area?

Furnishings: 1 Wall or shelving and base cabinets

2 Food storage pantries for 4 shifts

3 Dining table and chairs for 10

**Notes:** Provide auto remote stove/oven shut-off in the apparatus bays

Provide outside dining area adjacent with grill and picnic tables?

**ROOM OR SPACE** 

**Description:** Day Room

Group: Staff Support - Fire

**Drawing Reference:** SKA-17F

Quantitative Criteria: 1 360

Square feet

2 Current needs up to 5 people at a time; 7 people on shift in future

3 Dedicated only to "living" needs

Functional Description: 1 Watching TV/Videos; Listening to music

2 Informal meeting

**Qualitative Description:** 1 Comfortable relaxed environment

2 Natural lighting

Locational Criteria: 1 Easy access to apparatus bays

2 Adjacent to Kitchen

**Technical Criteria:** 

Walls: GWB

Floors: Carpet or Resilient
Ceiling: Acoustic Tile
Windows: Required

Security: NA

**Equipment:** TV/Video equipment

Other:

Furnishings: 1 Comfortable chairs

2 Entertainment Center

3 Bookshelves

4 Side tables

**ROOM OR SPACE** 

**Description:** Report Writing / On-Line Training

**Group:** Staff Support - Fire

**Drawing Reference:** SKA-18F

**Quantitative Criteria:** 1 100

Square feet

Functional Description: 1 Deskwork and/or on-line training

**Qualitative Description:** 1 Shared space for on-line training

Locational Criteria: 1 Near Day Room

**Technical Criteria:** 

Walls: GWB, Office Standard

Floors: Carpet
Ceiling: Acoustic Tile
Windows: Preferred
Security: None

**Equipment:** Computers, CATV

Other:

Furnishings: 1 Bench style worksurface for 4

2 Seating - 4 office

**ROOM OR SPACE** 

Description: Janitor's Closet
Group: Staff Support - Fire

**Drawing Reference:** SKA-19F

Quantitative Criteria: 1 30

Square feet

2 1 required per floor (see notes)

Functional Description: 1 House janitorial supplies

**Qualitative Description:** 1 Durable materials

Locational Criteria: 1 One required per level

**Technical Criteria:** 

Walls: Moisture Resistant GWB

Floors: Ceramic Tile, resinous, linoleum

Ceiling: GWB Windows: None

Security: Standard Lock

Equipment: None

Other:

Furnishings: 1 Janitors sink or mop sink

2 Rack for mops, brooms etc.

3 Shelving

**Notes:** Per Code, one Janitor's closet required per floor. If the building is a 2-story

shared facility, assume 2 shared Janitor's closets, 1 Janitor in FD to be used

by FD staff for cleaning living quarters.

## **ROOM OR SPACE**

Description: Apparatus Bays
Group: Operations - Fire

**Drawing Reference:** SKA-20F

Quantitative Criteria: 1 9,024

Square feet

2 Sized for access to all sides and tops of vehicles

3 14 x 14 overhead doors - Glass in doors

4 Vehicles:

a. Ladder Truck 1: 40' L x 10' W x 12' H indoor indoor b. Engine 2: 32' L x 10' W x 10' H indoor c. Engine 3: 32' L x 10' W x 10' H d. Engine 4: 32' L x 10' W x 10' H indoor e. Engine 5: 32' L x 10' W x 10' H indoor indoor f. Squad 1 Forestry: 22' L x 10' W x 9' H indoor g. Squad 2 Pick-up: 21' L x 8' W x 7' H h. Ambulance 1 (Future): 26' L x 9' W x 10' H indoor indoor i. Ambulance 2 (Future): 26' L x 9' W x 10' H j. Marine 1 on Trailer: 22' L x 8' W x 11' H indoor indoor k. Marine 2 on Trailer: 18' L x 6' W x 8' H indoor I. Gator on Trailer: 18' L x 8' W x 8' H m. DEP Trailer: 25' L x 9' W x 8' H indoor

outside/cover n. Car 1: 17' L x 8' W x 7' H

outside/cover o. Car 2: 17' L x 8' W x 7' H

outside/cover p. Fire Prevention: 17' L x 8' W x 7' H

outside/cover q. Command Staff (Future): 17' L x 8' W x 7' H outside/cover r. Mass Decon Trailer: 16' L x 8' W x 8' H

5 Drive-thru preferred

Functional Description: 1 House fire apparatus

2 House ambulance

3 House trailers, small equipment

**Qualitative Description:** 1 Easy access to trucks

2 Easy access to gear

3 Clear span for maximum flexibility preferred

4 Good air quality

5 Adequate height for clearance and maintenance of vehicles

6 Natural light

Locational Criteria: 1 Excellent access from living quarters and day room

2 Adjacent to maintenance and fire equipment support areas

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Epoxy Resin on Concrete with non slip surface

**Ceiling:** Exposed to structure

Windows: Required using natural light thru doors and clerestory

**Security:** Locked to secure equipment when firefighters are on calls; overhead doors

to have multiple systems for closing down doors

**Equipment:** Air and water lines; overhead door controls; Source capture system; Training

items: ???

Other:

Furnishings: 1 White Board

2 Bulletin Board

Notes: Total count of bays and bay depth is site dependent. Prefer drive thru

capability.

**ROOM OR SPACE** 

Description: Hose Storage + Testing

**Group:** Operations - Fire

**Drawing Reference:** SKA-21F

Quantitative Criteria: 1 34

Square feet

2 Portable hose storage racks

Functional Description: 1 Storing Hose on racks

2 Hose testung

**Qualitative Description:** 1 Good Lighting

Locational Criteria: 1 Adjacent to vehicle bays

2 Adjacent to maintenance and fire equipment support areas

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Epoxy Resinous on Concrete with non slip surface

Ceiling: Exposed to structure

Windows: Not required
Security: None Required
Equipment: None Required

Other:

Furnishings: 1 Hose storage racks - (1) at 9'-0" L x 2'-0" W x 7'-3" H

2 Hose Tester - (1) at 3'-2" L x 2'-0" W x 2'-0" H

**ROOM OR SPACE** 

Description: Gear Storage
Group: Operations - Fire

Drawing Reference: SKA-22F

2

Quantitative Criteria: 1 480

Square feet Gear Lockers

Functional Description: 1 Stores turnout gear and equipment

Qualitative Description: 1 Easy access to vehicle bays

2 Good ventilation for drying gear/pressurized

Locational Criteria: 1 Adjacent but separate from vehicle bays

2 Possibly function as an air lock between administration wing and apparatus

bays

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Epoxy resinous or concrete with hardener or sealer

Ceiling: Exposed to structure

Windows: None Security: None

**Equipment:** 

Other:

Furnishings: 1 (44) Lockers and storage unit for (12) Call ready bags, (4) Float Suits hung,

and (8) Ice Commander Suits hung

**ROOM OR SPACE** 

**Description:** Laundry

**Group:** Operations - Fire

**Drawing Reference:** SKA-23F

Quantitative Criteria: 1 156

Square feet

Functional Description: 1 Room for washing and drying turnout gear

2 Washing and drying of bed linens and clothing

**Qualitative Description:** 1 Easy access to apparatus bays

2 Good ventilation for drying gear/pressurized

Locational Criteria: 1 Adjacent but separate from vehicle bays

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Epoxy resinous or concrete with hardener or sealer

**Ceiling:** Exposed to structure

Windows: None Security: None

**Equipment:** Extractor (existing), washer and dryer (existing), gear dehydrator (existing)

Other:

Furnishings: 1 12" D adjustable shelving

2 Countertop

Notes: Ice machine

**ROOM OR SPACE** 

Description: Workshop
Group: Operations - Fire

**Drawing Reference:** SKA-24F

**Quantitative Criteria:** 1 100

Square feet

Functional Description: 1 Storage of tools and parts - rolling tool box

2 Minor repair work

Qualitative Description: 1 Flexible repair work environment

2 Good lighting

Locational Criteria: 1 Adjacent to apparatus area

**Technical Criteria:** 

Walls: CMU or high impact GWB

**Floors:** Epoxy resinous or concrete with hardener or sealer

**Ceiling:** Exposed to structure

Windows: Preferable Security: Locked Equipment: Bench tools

Other:

Furnishings: 1 Workbench

2 Shelving on standards

Locked Metal Cabinet for small part storageVentilated Metal Cabinet for flammable storage

5 Peg Boards6 Rolling tool box

**ROOM OR SPACE** 

**Description:** Medical Cleaning / Decontamination

**Group:** Operations - Fire

**Drawing Reference:** SKA-25F

Quantitative Criteria: 1 120

Square feet

Functional Description: 1 Cleaning of medical equipment

2 Cleaning of other equipemnt

3 Decontamination of personnel or gear

**Qualitative Description:** 1 Clear working space for equipment

2 Wet environment

**Locational Criteria:** 1 Off apparatus bays

2 Near ambulance bay

**Technical Criteria:** 

Walls: CMU or impact resistant GWB, FRP or Ceramic Tile Epoxy resinous on concrete with hardener or sealer

Ceiling: Exposed to structure or scrubbable ACT

Windows: None required Security: Secured None

Other: Floor drains, water service, deep sink with built in drainboards, washdown

area for backboards or other large equipment with flexible deluge shower

and eye wash

Furnishings: 1 Base Cabinets

2 Wall Cabinets

3 Open Shelving

4 Bench and clothes hooks

**Notes:** FF should shower here if possible so as not to bring contaminated clothing

into living spaces

**ROOM OR SPACE** 

Description: SCBA Fill Room Operations - Fire

**Drawing Reference:** SKA-26F

Quantitative Criteria: 1 108

Square feet

2 Source of clean air

Functional Description: 1 Fill area for breathing apparatus - tanks

Qualitative Description: 1 Clean

2 Secure

Locational Criteria: 1 Adjacent to vehicle bays

2 Adjacent to compressor area

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Epoxy resinous on concrete with hardener or sealer

Ceiling: Exposed to structure

Windows: Not required
Security: Secured area
Equipment: Existing equipment

Other: Direct source of intake air to outside; tap into cascade compressor for station

air

Furnishings: 1 SCBA bottle cart

2 Work bench

3 Adjustable shelving

**ROOM OR SPACE** 

**Description:** Air Compressor Room

**Group:** Operations - Fire

**Drawing Reference:** SKA-27F

**Quantitative Criteria:** 1 64

Square feet

Functional Description: 1 Compressed air for air lines throughout apparatus area

Qualitative Description: 1 Noisy; isolate acoustically

Locational Criteria: 1 Adjacent to apparatus bays

**Technical Criteria:** 

Walls: CMU or high impact GWB

**Floors:** Epoxy resinous or concrete with hardener or sealer

Ceiling: Exposed to structure

Windows: Not required

Security: Standard storage lock

**Equipment:** Compressor

Other:

**Furnishings:** 

Notes:

**ROOM OR SPACE** 

Description: Oxygen Storage Operations - Fire

**Drawing Reference:** SKA-28F

**Quantitative Criteria:** 1 40

Square feet

Functional Description: 1 Storage for oxygen cylinders

**Qualitative Description:** 1 Clean

2 Secure

Locational Criteria: 1 Adjacent to apparatus bays

**Technical Criteria:** 

Walls: CMU or high impact GWB - 2 hour rated

Floors: Epoxy resinous or concrete with hardener or sealer

Ceiling: 2 hour rated GWB Windows: Not required Security: Secured area

**Equipment:** 

Other:

**Furnishings:** 1 Floor space for (x) M cylinders

2 Cart for (x) D cylinders

Notes:

**ROOM OR SPACE** 

**Description:** Haz Mat Supply Storage

**Group:** Operation - Fire

**Drawing Reference:** SKA-29F

**Quantitative Criteria:** 1 100

Square feet

Functional Description: 1 Storage of haz mat clean up supplies

**Qualitative Description:** 1 Storage

Locational Criteria: 1 Adjacent to vehicle bays

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Epoxy resinous or concrete with hardener or sealer

Ceiling: Exposed to structure

Windows: Not required

Security: Standard storage lock

Equipment: NA

Other:

Furnishings: 1 24" and 18" Heavy Duty Shelving

2 Assume for pallet sized storage

Notes: Double doors

**ROOM OR SPACE** 

**Description:** Medical Supply Storage

**Group:** Operations - Fire

**Drawing Reference:** SKA-30F

**Quantitative Criteria:** 1 100

Square feet

Functional Description: 1 Secure medical supplies

**Qualitative Description:** 1 Secured closet

Locational Criteria: 1 Central to apparatus bays

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Resilient
Ceiling: Acoustic Tile

Windows: None

Security: Standard storage lock

Equipment: None

Other:

Furnishings: 1 Storage cabinets including lockable cabinet for needle storage

**Notes:** Allow adequate floor space for backboard storage

**ROOM OR SPACE** 

Description: Bulk Storage Operations - Fire

**Drawing Reference:** SKA-31F

Quantitative Criteria: 1 266

Square feet

Functional Description: 1 Storage of equipment and supplies

2 Storage of snow blower and rescue sled

3 Storage of car seats

4 Storage of portable generators and sumps

Qualitative Description: 1 Locked Storage

Locational Criteria: 1 Adjacent to apparatus

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Epoxy resinous or concrete with hardener or sealer

Ceiling: Exposed to structure

Windows: Not required

Security: Standard storage lock

Equipment: NA

Furnishings: 1 Light Duty Shelving

2 Double door supply cabinets

3 Locked supply cabinets for PPE equipment and accessories

**Notes:** Area for 8' x 3' x 14" rescue sled

Area for 62" x 29" x 42" snow blower

Area for car seats: (14) at 32" x 18" x 27" and (31) at 18" x 14" x 32"

Area for (2) portable generators at 3'x3'; portable sump pumps at 3'x3'

Shelving for spare fire extinguishers

Allow floor space for 4-5 tires, pumps ???

**ROOM OR SPACE** 

**Description:** Triage

**Group:** Operations - Fire

**Drawing Reference:** SKA-32F

**Quantitative Criteria:** 1 120

Square feet

Functional Description: 1 Area for emergency response

2 Area for blood pressure checks

**Qualitative Description:** 1 Private

Locational Criteria: 1 Near entry

2 Off lobby

**Technical Criteria:** 

Walls: GWB, office standard

Floors: Resilient
Ceiling: Acoustic Tile

Windows: If possible, not required Security: Standard Office Lock Equipment: Computer, speaker

Other: Sink

Furnishings: 1 Cot

2 Seating - 2 guest chairs

3 Adjustable shelving on standards

4 Base and wall cabinets

5 Whiteboard / Tackboard

Notes:

**ROOM OR SPACE** 

Description: Training Area
Group: Operations - Fire

**Drawing Reference:** SKA-33F

**Quantitative Criteria:** 1 240

Square feet

2 80 SF per floor stacked

Functional Description: 1 Area for Training

2 Extend three levels high

**Qualitative Description:** 1 Private

Locational Criteria: 1 Off apparatus

**Technical Criteria:** 

Walls: CMU
Floors: Concrete
Ceiling: None

Windows: Training Openings

Security: Equipment:

Other:

Furnishings: 1

**Notes:** This area to be used for training and to extend to three levels. Access points

off of stair and mezzanine if possible. Training to include openings in CMU

walls and tie offs, etc.

**ROOM OR SPACE** 

Description: Server / E911 Room

**Group:** Building Support

**Drawing Reference:** SKA-9S

**Quantitative Criteria:** 1 192

Square feet

Functional Description: 1 Room for Fire servers

2 Card access head end location

Qualitative Description: 1 Secure, dry, well lit

Locational Criteria: 1 Central location or as required

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Resilient

Ceiling: Exposed to structure

Windows: None

Security: Standard office lock with limited access

**Equipment:** CCTV, telephone, security, E911, card access, server racks, switches, Fire

Department UPS power, telephone head end

Other:

Furnishings: 1 Racks

Notes: Provide backboards for all wall mounted equipment

**ROOM OR SPACE** 

Description: Mechanical Room
Group: Building Support

**Drawing Reference:** SKA-10S

**Quantitative Criteria:** 1 400

Square feet

Functional Description: 1 Room for mechancial equipment

Qualitative Description: 1 Service type room

Locational Criteria: 1 Central in building

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Concrete with hardener or sealer

Ceiling: Exposed to structure

Windows: Not required

Security: Standard storage lock
Equipment: Mechanical Equipment

Other:

Furnishings: 1 None

Notes: Double door

Consider resiliency

**ROOM OR SPACE** 

**Description:** Main Electrical Room

**Group:** Building Support

**Drawing Reference:** SKA-11S

**Quantitative Criteria:** 1 180

Square feet

Functional Description: 1 Room for electrical service and panels

Qualitative Description: 1 Service type room

Locational Criteria: 1 Central in building

2 Close to emergency generator

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Concrete with hardener or sealer

Ceiling: GWB

Windows: Not required

Security: Standard storage lock
Equipment: Electrical equipment

Other:

Furnishings: 1 None

Notes: Consider resiliency

**ROOM OR SPACE** 

Description: Plumbing / Fire Protection Room

Group: Building Support

**Drawing Reference:** SKA-12S

Quantitative Criteria: 1 167

Square feet

Functional Description: 1 Room for plumbing and fire protection services and panels

Qualitative Description: 1 Service type room

Locational Criteria: 1 Central in building

**Technical Criteria:** 

Walls: CMU or high impact GWB Concrete with hardener or sealer

Ceiling: Exposed to structure

Windows: Not required

Security: Standard storage lock

**Equipment:** Fire protection sevice (dry and wet) check valve assembly, domestic water

meter and reduced backflow preventer, water heater and expansion tank

protection, tempered water control panel and mixing valves

Other:

Furnishings: 1 None

Notes: Consider resiliency

**ROOM OR SPACE** 

**Description:** Emergency Electrical Room

Group: Building Support

**Drawing Reference:** SKA-13S

**Quantitative Criteria:** 1 80

Square feet

Functional Description: 1 Emergency electric panels

**Qualitative Description:** 1 Service type room

Locational Criteria: 1 Central in building

2 Close to emergency generator

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Concrete with hardener or sealer

Ceiling: GWB

Windows: Not required

Security: Standard storage lock
Equipment: Electrical equipment

Other:

Furnishings: 1 None

**Notes:** One per floor

Consider resiliency

**ROOM OR SPACE** 

**Description:** Electrical Closet (1 per floor)

Group: Building Support

**Drawing Reference:** SKA-14S

**Quantitative Criteria:** 1 96

48 Square feet per Assume 2

Functional Description: 1 Emergency electric panels

Qualitative Description: 1 Service type room

Locational Criteria: 1 Central in building

2 Close to emergency generator

**Technical Criteria:** 

Walls: CMU or high impact GWB

Floors: Concrete with hardener or sealer

Ceiling: GWB

Windows: Not required

Security: Standard storage lock
Equipment: Electrical equipment

Other:

Furnishings: 1 None

**Notes:** One per floor

Consider resiliency

**ROOM OR SPACE** 

Description: Janitor's Closet
Group: Building Support

**Drawing Reference:** SKA-15S

**Quantitative Criteria:** 1 40

Square feet

2 1 required per floor (see notes) at 20 SF each

Functional Description: 1 House janitorial supplies

**Qualitative Description:** 1 Durable materials

Locational Criteria: 1 One required per level

**Technical Criteria:** 

Walls: Moisture Resistant GWB

Floors: Ceramic Tile, resinous, linoleum

Ceiling: GWB Windows: None

Security: Standard Lock

**Equipment:** None

Other:

Furnishings: 1 Janitors sink or mop sink

2 Rack for mops, brooms etc.

3 Shelving

**Notes:** Per Code, one Janitor's closet required per floor. If the building is a 2-story

shared facility, assume 1 Janitor in FD to be used by FD staff for cleaning

living quarters.

**ROOM OR SPACE** 

**Description:** Stairs

**Group:** Building Support

**Drawing Reference:** SKA-16S

**Quantitative Criteria:** 1 880

Square feet

2 Assumes two stairs connecting two floors

Functional Description: 1 Vertical circulation

**Qualitative Description:** 1 Well lit

Locational Criteria: 1 Ideally centrally located to be shared by departments

**Technical Criteria:** 

Walls: GWB

Floors: Raised rubber tile

Ceiling: GWB

Windows: Not required

Security: Dependant on final plan layout

**Equipment:** 

Other:

Furnishings: 1

**Notes:** One required stair to be used for training: finishes, openings etc.

**ROOM OR SPACE** 

**Description:** Elevator and Machine Room

**Group:** Building Support

**Drawing Reference:** SKA-17S

**Quantitative Criteria:** 1 249

Square feet

Functional Description: 1 Vertical circulation

**Qualitative Description:** 1

Locational Criteria: 1 Accessible to the lobby

**Technical Criteria:** 

Walls: Standard

Floors: Porcelain Tile in elevator; resilient in machine room

Ceiling: Standard Windows: NA

Security: Dependant on final plan layout

**Equipment:** Hydraulic elevator

Other:

Furnishings: 1

Notes: Includes elevator and machine room on one floor and elevator on second

floor